## **Delany Products Recommended Preventative Maintenance Guide**



Date: 01-Jan-22 Life Expectency								
	Image	Product	Possible Issues	3-5 years	6 -8 years	8-10 years	15 years	
(1)	100	Handle Assembly #: 333A	1) Drooping Handle 2) Short Flush	·		·	X Note: This is in relation to the brass components	
(2)		Internal Handle Assembly #: 223A-K	1) Drooping Handle 2) Short Flush		x			
(3)	0	<b>Vacuum Breaker</b> # 427A	1) Leaking from Flush Connection Vent Holes during Flush		x			
(4)		Diaphragm Drop-in Kit # S143-1.28-ACQ or # 143-1.28-ACQ	1) Flush cycle too long or too short 2) Flush cycle running continuously		x			
(5)	Miles	<b>TruStop</b> # 1010A or #1020A	1) Leaking from Shutoff Key				х	
(6)		TruChek # 1015A	Tear or detioration of rubber     Note: There will be no visible     signs & flush cycel will not be     disturbed.     Schedule an inspection	х				
(7)	00	Flanges & Connections # 386A-K	Damaged chrome     Leaking around connections				x	

(8)	CH-P2 PROPER SIGNAL MRS 145 PR  CH-ST PROPER SIGNAL MRS 145 PR  CHARLES SIG	TruEdge Battery (Lithium) # G3008	LED low battery light will blink     Will not flush	х		
(9)		TruEdge Solenoid # G3009	Will not flush     Flush cycle runs continously	х		
(10)		TruEdge Head (Sensor & Electronics) # G3015A	1) Flush valve does not recongnize user		x	
(11)	•	TruEdge Cupwasher # 3074A	1) Flush cycle running continuously	х		
(12)		Hydraulic Concealed Handle Asseblies #2119A-B-?W	1) Short Flush			X Note: This is in relation to the brass components
(13)	•	Full Piston Assembly or Internal Piston Assembly for Hydro-Flush #: 2147A # 2154A	1) Short Flush	х		
(14)		Manual Concealed Handle Asseblies #339A-B-?W	1) Short Flush			X Note: This is in relation to the brass components
(15)	3-1622	Internal Handle Assembly for Manual Concealed #: 368A-K	Push button will not fully push back out or return to proper position     Short Flush	X		
(16)		Empire Piston Cartridge #E1001A-?	1) Flush cycle too long or too short 2) Flush cycle running continuously	х		