



Last Update: 18 Feb 2026 - Version 1

Model #	Valve Description	List Price
Electronic (Hands-Free)		
Sensor Faucets		Infinite Series - Battery or Transformer
SF1596-B-DP4	INFINITE SERIES - SOFT CURVE DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	780.10
SF1596-E-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER. POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	780.10
SF1598-B-DP4	INFINITE SERIES - SOFT CURVE DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER w/ SOLENOID ABOVE DECK (Internal to Faucet). POWERED by EXTERNALLY MOUNTED AA BATTERY (Includes 4" DECK PLATE)	808.10
SF1598-E-DP4	INFINITE SERIES - CURVED DESIGN - ELECTRONIC LAVATORY FAUCET for COLD or PREMIXED WATER w/ SOLENOID ABOVE DECK (Internal to Faucet). POWERED by ELECTRICAL CONNECTION AA TRANSFORMER (Includes 4" DECK PLATE)	808.10
Battery Powered		TruEDGE - Exposed Water Closets/Urinals
GP1402-1.1-SC-T42-TS	EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY TOILET (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.1 GPF)	979.60
GP1402-1.28-SC-T42-TS	EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY TOILET (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	979.60
GP1402-1.6-SC-T42-TS	EXPOSED TruEDGE Plus VALVE for LOW CONSUMPTION WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	979.60
GP1402-1.6-SC-T42-DF-TS	EXPOSED TruEDGE Plus VALVE for WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ AUTOMATIC DUAL FLUSH FEATURE, TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6/1.1 GPF)	983.40



Last Update: 18 Feb 2026 - Version 1

GP1402-3-GJ-T42	EXPOSED EDGE Plus VALVE for WATER SAVER WATER CLOSET (BATTERY POWERED & SENSOR OPERATED) w/ 1" GROUND JOINT ANGLE STOP, 1.5" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	979.60
GP1451-0.125-SC-T42-TS	EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY URINAL (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 0.75" ANGLE STOP, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.125 GPF)	979.60
GP1451-0.5-SC-T42-TS	EXPOSED TruEDGE Plus VALVE for HIGH EFFICIENCY URINAL (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 0.75" ANGLE STOP, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (0.5 GPF)	979.60
GP1451-1-SC-T42-TS	EXPOSED TruEDGE Plus VALVE for LOW CONSUMPTION URINAL (BATTERY POWERED & SENSOR OPERATED) w/ TruStop 0.75" ANGLE STOP, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1 GPF)	979.60
Battery Powered	TruEDGE - Retro-Fit Water Closets/Urinals	
GP3003A-0.125	TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & TruULTRA URINAL VALVES (0.125 GPF)	660.50
GP3003A-0.5	TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & TruULTRA URINAL VALVES (0.5 GPF)	660.50
GP3003A-1	TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & TruULTRA URINAL VALVES (1.0 GPF)	660.50
GP3003A-1.28	TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & TruULTRA WATER CLOSET VALVES (1.28 GPF)	660.50
GP3003A-1.6	TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY & TruULTRA WATER CLOSET VALVES (1.6 GPF)	660.50
GP3003A-1.6-DF	TruEDGE V2.0 HANDS-FREE BATTERY POWERED, SENSOR OPERATED, AUTOMATIC DUAL FLUSH RETROFIT KIT w/ OVERRIDE BUTTON for TruULTRA WATER CLOSET VALVES (1.6/1.1 GPF)	740.40

Last Update: 18 Feb 2026 - Version 1

GP3003A-3	TruEDGE HANDS-FREE BATTERY POWERED, SENSOR OPERATED RETROFIT KIT w/ OVERRIDE BUTTON for FLUSHBOY WATER CLOSET VALVES (3.5 GPF)	660.50
Battery Powered Retro-Fit	SideArm - Mechanical Side Mounted Retro-Fit Kits	
SA6007A	SIDEARM SIDE MOUNTED BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL DELANY EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	435.00
SA6007A-P	SIDEARM SIDE MOUNTED BATTERY POWERED, SENSOR ACTIVATED, REPLACEMENT of HANDLE RETRO-FIT KIT for ALL PRESTO EXPOSED WATER CLOSET & URINAL FLUSHOMETERS (All GPFs)	476.90
Battery Powered w/ Valve	TruSaber w/ SideArm (Water Closets/Urinals)	
S402-1.1-SC-T42-SM-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT	697.40
S402-1.28-SC-T42-SM-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	697.40
S402-1.6-SC-T42-SM-TS	EXPOSED TruSABER VALVE for LOW CONSUMPTION TOILET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT	697.40
S451-0.125-SC-T42-SM-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, & SWEAT ADAPTER KIT (0.125 GPF)	697.40
S451-0.5-SC-T42-SM-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, & SWEAT ADAPTER KIT (0.5 GPF)	697.40
S451-1-SC-T42-SM-TS	EXPOSED TruSABER VALVE for LOW CONSUMPTION, URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION for TOP SPUD, & SWEAT ADAPTER KIT (0.5 GPF)	697.40
Battery Powered w/ Valve	TruULTRA Plus w/ SideArm (Water Closets/Urinals)	
UP402-1.1-SC-T42-SM-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.1 GPF)	687.80

Last Update: 18 Feb 2026 - Version 1

UP402-1.28-SC-T42-SM-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.28 GPF)	687.80
UP402-1.6-SC-T42-SM-TS	EXPOSED TruULTRA Plus VALVE for LOW CONSUMPTION TOILETS w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1.6 GPF)	687.80
UP451-0.125-SC-T42-SM-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.125 GPF)	687.80
UP451-0.5-SC-T42-SM-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.5 GPF)	687.80
UP451-1-SC-T42-SM-TS	EXPOSED TruULTRA Plus VALVE for LOW CONSUMPTION URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1 GPF)	687.80
Battery Powered w/ Valve	ULTRA w/ SideArm (Water Closets/Urinals)	
U402-1.28-SC-T42-SM-TS	EXPOSED TruULTRA VALVE for HIGH EFFICIENCY WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.28 GPF)	676.90
U402-1.6-SC-T42-SM-TS	EXPOSED TruULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.6 GPF)	676.90
U402-3-SC-T42-SM-TS	EXPOSED TruULTRA VALVE for WATER SAVER WATER CLOSET w/ SIDEARM (Side Mounted Sensor Actuator), TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (3.5 GPF)	676.90
U451-0.125-SC-T42-SM-TS	EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.125 GPF)	676.90
U451-0.5-SC-T42-SM-TS	EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.5 GPF)	676.90

Last Update: 18 Feb 2026 - Version 1

U451-1-SC-T42-SM-TS	EXPOSED TruULTRA VALVE for LOW CONSUMPTION URINAL w/ SIDEARM (Side Mounted Sensor Activator), TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1 GPF)	676.90
E402-1.28-SC-T42-SM-TS	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE , SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	712.50
E402-1.6-SC-T42-SM-TS	EXPOSED EMPIRE VALVE for HIGH EFFICIENCY TOILET w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE , SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	712.50
E451-0.125-SC-T42-SM-TS	EXPOSED TruEMPIRE VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (0.125 GPF)	712.50
E451-1-SC-T42-SM-TS	EXPOSED TruEMPIRE VALVE for HIGH EFFICIENCY URINAL w/ SIDEARM (Side Mounted Sensor Actuator), PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1 GPF)	712.50

Manual Valves

Diaphgram Style	Tru SmartHandle - Dual Flush	
S402-1.28-SC-T42-SH-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ DUAL-FLUSH SMARTHANDLE, TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (1.28/1.0 GPF)	316.10
Diaphgram Style	TruSaber - Exposed Water Closets/Urinals	
S402-1.1-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.1 GPF)	262.40
S402-1.28-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	262.40
S402-1.6-SC-T42-TS	EXPOSED TruSABER VALVE for LOW CONSUMPTION TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	262.40

Last Update: 18 Feb 2026 - Version 1

S402-3-SC-T42-TS	EXPOSED TruSABER VALVE for WATER SAVER TOILET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	262.40
S414-1.6-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" x 22.5" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	286.40
S451-0.125-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (0.125 GPF)	262.40
S451-0.5-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY URINAL w/ TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (0.5 GPF)	262.40
S451-1-SC-T42-TS	EXPOSED TruSABER VALVE for LOW CONSUMPTION URINAL w/ TruStop 3/4" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (1 GPF)	262.40
S452-1.5-SC-T42-TS	EXPOSED TruSABER VALVE for URINAL w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1-1/4" x 9" FLUSH CONNECTION, TOP SPUD, & SWEAT ADAPTER KIT (1.5 GPF)	262.40
Diaphgram Style	TruSaber - Exposed Eastern Squat Toilets	
S474-1.28-SC-T42-TS	EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.28 GPF)	340.10
S474-1.6-SC-T42-TS	EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.6 GPF)	340.10
S479-1.28-SC-T42-TS	EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.28 GPF)	344.20
S479-1.6-SC-T42-TS	EXPOSED TruSABER VALVE for SQUAT TOILETS w/ TruStop 1" ANGLE STOP, SLIPFIT CONNECTION, MASHAERATOR BYPASS, 1.5" x 36" SHORT PATTERN VACUUM BREAKER & ELBOW FLUSH CONNECTION for BACK SPUD (1.6 GPF)	344.20
Diaphgram Style	TruULTRA Plus - Exposed Water Closets/Urinals	
UP402-1.1-SC-T42-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.1 GPF)	252.80



Last Update: 18 Feb 2026 - Version 1

UP402-1.28-SC-T42-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.28 GPF)	252.80
UP402-1.6-SC-T42-TS	EXPOSED TruULTRA Plus VALVE for LOW CONSUMPTION WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & MASHAERATOR DIAPHRAGM (1.6 GPF)	252.80
UP451-0.125-SC-T42-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.125 GPF)	252.80
UP451-0.5-SC-T42-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (0.5 GPF)	252.80
UP451-1-SC-T42-TS	EXPOSED TruULTRA Plus VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, SLIPFIT CONNECTION & MASHAERATOR DIAPHRAGM (1 GPF)	252.80
Diaphgram Style	TruULTRA - Exposed Water Closets/Urinals	
U402-1.28-SC-T42-TS	EXPOSED TruULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.28 GPF)	241.90
U402-1.6-SC-T42-TS	EXPOSED TruULTRA VALVE for LOW CONSUMPTION WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (1.6 GPF)	241.90
U402-3-GJ-T42	EXPOSED TruULTRA VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	251.40
U402-3-SC-T42-TS	EXPOSED TruULTRA VALVE for WATER SAVER WATER CLOSET w/ TruStop 1" ANGLE STOP, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT CONNECTION (3.5 GPF)	241.90
U451-0.125-SC-T42-TS	EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.125 GPF)	241.90
U451-0.5-SC-T42-TS	EXPOSED TruULTRA VALVE for HIGH EFFICIENCY URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (0.5 GPF)	241.90



Last Update: 18 Feb 2026 - Version 1

U451-1-SC-T42-TS	EXPOSED TruULTRA VALVE for LOW CONSUMPTION URINAL w/ TruStop 0.75" ANGLE STOP, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT CONNECTION (1.0 GPF)	241.90
U451-1-GJ-T42	EXPOSED TruULTRA VALVE for URINAL w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF)	251.40
Piston Style	Empire - Exposed Water Closets/Urinals	
E402-1.1-SC-T42-TS	EXPOSED TruEMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.1 GPF)	277.50
E402-1.28-SC-T42-TS	EXPOSED TruEMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.28 GPF)	277.50
E402-1.6-SC-T42-TS	EXPOSED TruEMPIRE VALVE for HIGH EFFICIENCY TOILETS, PISTON OPERATED w/ TruStop 1" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 1.5" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT & SLIPFIT TAILPIECE (1.6 GPF)	277.50
E451-0.125-SC-T42-TS	EXPOSED TruEMPIRE VALVE for URINAL, PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (0.125 GPF)	277.50
E451-1-SC-T42-TS	EXPOSED TruEMPIRE VALVE for URINAL, PISTON OPERATED w/ TruStop 0.75" ANGLE STOP, MASHAERATOR PISTON CARTRIDGE, 0.75" x 9" FLUSH CONNECTION, TOP SPUD, SWEAT ADAPTER KIT, & SLIPFIT TAILPIECE (1.0 GPF)	277.50

Concealed - Manual Valves

Concealed Manual	ULTRA Plus - Concealed Water Closets/Urinals	
UP533-1.6-SC-T42-TS-1W->7W	CONCEALED TruULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 1" to 7" WALL SIZES (1.6 GPF) *** DISCONTINUED ***	NLA
UP533-1.6-SC-T42-TS-8W+	CONCEALED TruULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 8" WALL SIZES & HIGHER (1.6 GPF) *** DISCONTINUED ***	NLA
UP533-3-SC-T42-TS-1W->7W	CONCEALED TruULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 1" to 7" WALL SIZES (3.5 GPF) *** DISCONTINUED ***	NLA

Last Update: 18 Feb 2026 - Version 1

UP533-3-SC-T42-TS-8W+	CONCEALED TruULTRA Plus VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM DIAPHRAGM, SLIPFIT CONNECTION & 1" FEMALE I.P. UNION for 8" WALL SIZES & HIGHER (3.5 GPF) *** DISCONTINUED ***	NLA
UP534-1.28-SC-T42-TS-1W->7W	CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (1.28 GPF)	359.40
UP534-1.28-SC-T42-TS-8W+	CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (1.28 GPF)	397.22
UP534-1.6-SC-T42-TS-1W->7W	CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (1.6 GPF)	359.40
UP534-1.6-SC-T42-TS-8W+	CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (1.6 GPF)	397.22
UP534-3-SC-T42-TS-1W->7W	CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (1.6 GPF)	359.40
UP534-3-SC-T42-TS-8W+	CONCEALED ULTRA Plus VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTER & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (1.6 GPF)	397.22

Hospital Application - Manual Valves

Bedpan Diverters - Only		
971	BEDPAN DIVERTER VALVE ASSEMBLY w/ WALL SUPPORT, 1-1/2" x 9" LOWER FLUSH CONNECTION w/ 1-1/2" OFFSET, SPUD NUT & SPUD FLANGE	471.00
977	BEDPAN DIVERTER VALVE ASSEMBLY w/ WALL SUPPORT, 1-1/2" x 9" LOWER FLUSH CONNECTION, SPUD NUT & SPUD FLANGE	409.60

Last Update: 18 Feb 2026 - Version 1

TruSaber - Hospital Applications		
S418-6.5-SC-T42-TS	EXPOSED TruSABER VALVE for use w/ CLINICAL SERVICE SINK, w/ TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" x 24" FLUSH CONNECTION for 1.5" TOP SPUD & SWEAT ADAPTER KIT (6.5 GPF)	295.70
S455-6.5-SC-T42-TS	EXPOSED TurSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (6.5 GPF) ** For USE w/ CLINICAL SERIVCE SINK **	871.30
S455-1.28-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.28 GPF)	847.10
S455-1.28-SC-T42-SH-TS	EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, 1.5" FLUSH CONNECTION for TOP SPUD & SMARTHANDLE (for 34.375" ROUGH-Ins) (1.28/1.0 GPF)	921.50
S455-1.6-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (1.6 GPF)	847.10
S455-3-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (3.5 GPF)	847.10
S455-SC-T42-TS	EXPOSED TruSABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1.5" FLUSH CONNECTION for TOP SPUD (for 34.375" ROUGH-Ins) (4.5 GPF)	847.10
S461-1.28-SC-T42-TS	EXPOSED SABER VALVE for HIGH EFFICIENCY WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1-1/2" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.28 GPF)	909.20
S461-1.6-SC-T42-TS	EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION & 1-1/2" OFFSET FLUSH CONNECTION for 1.5" TOP SPUD (1.6 GPF)	909.20
S463-1.28-SC-T42-TS	EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (1.28 GPF)	826.80

Last Update: 18 Feb 2026 - Version 1

S463-1.28-SC-T42-SH-TS	EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, NON-HOLD OPEN FEATURE, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (1.28/1.0 GPF)	846.90
S463-1.6-SC-T42-TS	EXPOSED TruSABER VALVE for WATER CLOSET w/ BEDPAN DIVERTER (#977), TruStop 1" ANGLE STOP, MASHAERATOR DIAPHRAGM, SLIPFIT CONNECTION, SWEAT ADAPTOR KIT & 1.5" FLUSH CONNECTION for TOP SPUD (for 26.5" ROUGH-Ins) (1.6 GPF)	826.80

Security Application - Manual & Hydraulic Valves

Concealed Manual	ULTRA Plus - Security Application - Water Closets	
UP529-1.28-SC-T42-TS-1W->7W	CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 1" & 7" (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
UP529-1.28-SC-T42-TS-8W+	CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 8" & HIGHER (1.28 GPF) *** WALL SIZE REQUIRED ***	NLA
UP529-1.6-SC-T42-TS-1W->7W	CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 1" & 7" (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
UP529-1.6-SC-T42-TS-8W+	CONCEALED ULTRA Plus SECURITY VALVE for WATER CLOSET in ROUGH BRASS w/ PUSH BUTTON, 1" TruStop ANGLE STOP for 1.5" CONCEALED BACK SPUD CONNECTION for WALL SIZES 8" & HIGHER (1.6 GPF) *** WALL SIZE REQUIRED ***	NLA
Concealed Hydraulic	ULTRA Plus Hydro-Flush - Water Closets	
UP1223-1.28-SC-T42-TS-1W->5W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** UP1234-1.28-SC-TS-NS (The Valve) & 1223K-5W (The Installation Kit) ***	597.42
UP1223-1.28-SC-T42-TS-6W & 7W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZES 6" & 7" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1223K-7W (The Installation Kit) ***	620.15



Last Update: 18 Feb 2026 - Version 1

UP1223-1.28-SC-T42-TS-8W->11W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.28 GPF) **** WALL SIZES 8" to 11" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1223K-11W (The Installation Kit) ***	645.62
UP1223-1.6-SC-T42-TS-1W->5W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-5W (The Installation Kit) ***	597.42
UP1223-1.6-SC-T42-TS-6W & 7W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZES 6" & 7" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-7W (The Installation Kit) ***	620.15
UP1223-1.6-SC-T42-TS-8W->11W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZES 8" to 11" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-11W (The Installation Kit) ***	645.62
UP1223-3-SC-T42-TS-1W->5W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (3.5 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** UP1234-3-SC-TS-NS (The Valve) & 1223K-5W (The Installation Kit) ***	597.42
UP1223-3-SC-T42-TS-6W & 7W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF) **** WALL SIZES 6" & 7" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-7W (The Installation Kit) ***	620.15

Last Update: 18 Feb 2026 - Version 1

UP1223-3-SC-T42-TS-8W->11W	<p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for BACKSPLASH, 1" TruStop ANGLE STOP, 1.5" X 12" ELBOW FLUSH CONNECTION, MASHAERATOR DIAPHRAGM & SWEAT ADAPTER for CONCEALED BACK SPUD & SLIPFIT CONNECTION (1.6 GPF)</p> <p>**** WALL SIZES 8" to 11" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1223K-11W (The Installation Kit) ***</p>	645.62
UP1229-1.28-SC-T42-TS-1W->6W	<p>*** PLEASE ORDER F1234-1.6-GJ-T42-1W->6W - REPLACEMENT For ALL 1229 VERSIONS ***</p> <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for CONCEALED BACK SPUD w/ TruStop Control Stop (1.28 GPF)</p> <p>**** WALL SIZES 1" to 6" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p>	Please ORDER UP1234 VERSION
UP1229-1.28-SC-T42-TS-7W & 8W	<p>*** PLEASE ORDER F1234-1.6-GJ-T42-7W & 8W - REPLACEMENT For ALL 1229 VERSIONS ***</p> <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for CONCEALED BACK SPUD w/ TruStop Control Stop (1.28 GPF)</p> <p>**** WALL SIZES 7" & 8" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p>	Please ORDER UP1234 VERSION
UP1229-1.28-SC-T42-TS-9W->12W	<p>*** PLEASE ORDER F1234-1.6-GJ-T42-9W->12W - REPLACEMENT For ALL 1229 VERSIONS ***</p> <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for CONCEALED BACK SPUD w/ TruStop Control Stop (1.28 GPF)</p> <p>**** WALL SIZES 1" to 6" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p>	Please ORDER UP1234 VERSION
UP1229-1.6-SC-T42-TS-1W->6W	<p>*** PLEASE ORDER F1234-1.6-GJ-T42-1W->6W - REPLACEMENT For ALL 1229 VERSIONS ***</p> <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for CONCEALED BACK SPUD w/ TruStop Control Stop (1.6 GPF)</p> <p>**** WALL SIZES 1" to 6" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p>	Please ORDER UP1234 VERSION
UP1229-1.6-SC-T42-TS-7W & 8W	<p>*** PLEASE ORDER F1234-1.6-GJ-T42-7W & 8W - REPLACEMENT For ALL 1229 VERSIONS ***</p> <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for CONCEALED BACK SPUD w/ TruStop Control Stop (1.6 GPF)</p> <p>**** WALL SIZES 7" & 8" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p>	Please ORDER UP1234 VERSION

Last Update: 18 Feb 2026 - Version 1

UP1229-1.6-SC-T42-TS-9W->12W	<p>**** PLEASE ORDER F1234-1.6-GJ-T42-9W->12W - REPLACEMENT For ALL 1229 VERSIONS ***</p> <p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR for CONCEALED BACK SPUD w/ TruStop Control Stop (1.6 GPF)</p> <p>***** WALL SIZES 9" to 12" **** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p>	Please ORDER UP1234 VERSION
------------------------------	---	-----------------------------

Hydraulically Activated

Concealed Hydralic	ULTRA Plus Hydro-Flush - Water Closets/Urinals	
UP1234-1.1-SC-T42-TS-1W->6W	<p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER</p> <p>(1.1 GPF) *** WALL SIZES 1" to 6" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.1-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p>	509.57
UP1234-1.1-SC-T42-TS-7W & 8W	<p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER</p> <p>(1.1 GPF) *** WALL SIZES 7" & 8" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.1-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p>	509.57
UP1234-1.1-SC-T42-TS-9W->12W	<p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER</p> <p>(1.1 GPF) *** WALL SIZES 9" to 12" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.1-SC-TS-NS (The Valve) & 1234K-12W (The Installation Kit) ***</p>	524.28
UP1234-1.28-SC-T42-TS-1W->6W	<p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER</p> <p>(1.28 GPF) *** WALL SIZES 1" to 6" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) ***</p>	509.57
UP1234-1.28-SC-T42-TS-7W & 8W	<p>CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER</p> <p>(1.28 GPF) *** WALL SIZES 7" & 8" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) ***</p>	509.57

Last Update: 18 Feb 2026 - Version 1

UP1234-1.28-SC-T42-TS-9W->12W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD, & SWEAT ADAPTER (1.28 GPF) *** WALL SIZES 9" to 12" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.28-SC-TS-NS (The Valve) & 1234K-12W (The Installation Kit) ***	524.28
UP1234-1.6-SC-T42-TS-1W->6W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for LOW CONSUMPTION TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 1" to 6" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1234K-6W (The Installation Kit) ***	509.57
UP1234-1.6-SC-T42-TS-7W & 8W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for LOW CONSUMPTION TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 7" & 8" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1234K-8W (The Installation Kit) ***	509.57
UP1234-1.6-SC-T42-TS-9W->12W	CONCEALED TruULTRA Plus HYDRO-FLUSH VALVE in ROUGH BRASS for LOW CONSUMPTION TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" TruStop ANGLE STOP, MASHAERATOR DIAPHRAGM, 1.5" CONCEALED BACK SPUD & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 9" to 12" *** *** SHIPPED as 2 SEPARATE ITEMS: ** UP1234-1.6-SC-TS-NS (The Valve) & 1234K-12W (The Installation Kit) ***	524.28

The Original - All Flushboy Valves

Diaphragm Style - Manual	Flushboy - Exposed Water Closets/Urinals	
F402-1.6-GJ-T42	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION & SWEAT ADAPTER KIT (1.6 GPF)	264.82
F402-3-GJ-T42	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (3.5 GPF)	264.82
F402-GJ-T42	EXPOSED FLUSHBOY VALVE for WATER CLOSET w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION, TOP SPUD & SWEAT ADAPTER KIT (4.5 GPF)	264.82
F451-1-GJ-T42	EXPOSED FLUSHBOY VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF)	264.82
F452-1.5-GJ-T42	EXPOSED FLUSHBOY VALVE for URINAL w/ GROUND JOINT, SWEAT ADAPTER KIT & 1.25" x 9" FLUSH CONNECTION for TOP SPUD (1.5 GPF)	318.20

Last Update: 18 Feb 2026 - Version 1

Concealed Manual	Flushboy - Concealed Water Closets/Urinals	
F533-3-GJ-1W->7W	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZES 1" to 7" (3.5 GPF) *** WALL SIZE REQUIRED ***	384.92
F533-3-GJ-8W+	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZES 8" & HIGHER (3.5 GPF) *** WALL SIZE REQUIRED ***	417.57
F533-GJ-1W->7W	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZES 1" to 7" (4.5 GPF) *** WALL SIZE REQUIRED ***	384.92
F533-GJ-8W+	CONCEALED FLUSHBOY VALVE for WATER CLOSET w/ PUSH-BUTTON thru WALL in FRONT, GROUND JOINT & 1" FEMALE I.P. UNION for WALL SIZES 8" & HIGHER (4.5 GPF) *** WALL SIZE REQUIRED ***	417.57
F534-1.6-GJ-1W->7W	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (1.6 GPF) **** WALL SIZE REQUIRED ****	410.90
F534-1.6-GJ-8W+	CONCEALED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (1.6 GPF)	448.72
F534-3-GJ-1W->7W	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (3.5 GPF) **** WALL SIZE REQUIRED ****	410.90
F534-3-GJ-8W+	CONCEALED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (3.5 GPF)	448.72
F534-GJ-1W->7W	CONCEALED FLUSHBOY VALVE for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for WALL SIZES 1" to 7" (4.5 GPF) **** WALL SIZE REQUIRED ****	410.90
F534-GJ-8W+	CONCEALED FLUSHBOY VALVE for LOW CONSUMPTION WATER CLOSETS w/ PUSH BUTTON thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 22.5" CONCEALED BACK SPUD for 8" WALL SIZES & HIGHER (4.5 GPF)	448.72

Last Update: 18 Feb 2026 - Version 1

F537-1.6-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (1.6 GPF) **** WALL SIZE REQUIRED **** (Price increases for lengths 8" and up)	397.60
F537-3-GJ-C	CONCEALED FLUSHBOY VALVE for WATER CLOSETS w/ 3" OSCILLATING DISC thru WALL in FRONT, GROUND JOINT & ELBOW FLUSH CONNECTION for 1.5" x 10" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	397.60
Security Application - Manual	Flushboy	
F529-1.6-GJ-T42-1W->7W	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 1" to 7" WALL SIZES (1.6 GPF) *** FOR ALL F529s PLEASE ORDER the F534s VERSIONS that are the EQUIVALENT ***	Please Order the F534 Version
F529-1.6-GJ-T42-8W+	CONCEALED FLUSHBOY SECURITY VALVE for LOW CONSUMPTION WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 8" WALL SIZES & HIGHER (1.6 GPF) *** FOR ALL F529s PLEASE ORDER the F534s VERSIONS that are the EQUIVALENT ***	Please Order the F534 Version
F529-3-GJ-T42-1W->7W	CONCEALED FLUSHBOY SECURITY VALVE for WATER SAVER WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 1" to 7" WALL SIZES (3.5 GPF) *** FOR ALL F529s PLEASE ORDER the F534s VERSIONS that are the EQUIVALENT ***	Please Order the F534 Version
F529-3-GJ-T42-8W+	CONCEALED FLUSHBOY SECURITY VALVE for WATER SAVER WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 8" WALL SIZES & HIGHER (3.5 GPF) *** FOR ALL F529s PLEASE ORDER the F534s VERSIONS that are the EQUIVALENT ***	Please Order the F534 Version
F529-GJ-T42-1W->7W	CONCEALED FLUSHBOY SECURITY VALVE for OLD STYLE WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 1" to 7" WALL SIZES (4.5 GPF) *** FOR ALL F529s PLEASE ORDER the F534s VERSIONS that are the EQUIVALENT ***	Please Order the F534 Version
F529-GJ-T42-8W+	CONCEALED FLUSHBOY SECURITY VALVE for OLD STYLE WATER CLOSETS in ROUGH BRASS w/ PUSH BUTTON, GROUND JOINT for 1.5" CONCEALED BACK SPUD CONNECTION for 8" WALL SIZES & HIGHER (4.5 GPF) *** FOR ALL F529s PLEASE ORDER the F534s VERSIONS that are the EQUIVALENT ***	Please Order the F534 Version
F623-3-GJ	CONCEALED FLUSHBOY VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON thru the WALL & FIXTURE BACK SPLASH, GROUND JOINT, 1.5" x 14.5" FLUSH CONNECTION & ELBOW CONNECTION for 1.5" CONCEALED BACK SPUD (3.5 GPF) **** WALL SIZE REQUIRED ****	455.00



Last Update: 18 Feb 2026 - Version 1

Security Application - Hydraulic	Flushboy Hyro-Flush	
F1223-1.6-GJ-T42-1W->5W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1223K-5W (The Installation Kit) ***	624.80
F1223-1.6-GJ-T42-6W & 7W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZES 6" & 7" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1223K-7W (The Installation Kit) ***	647.52
F1223-1.6-GJ-T42-8W->11W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (1.6 GPF) **** WALL SIZES 8" to 11" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1223K-11W (The Installation Kit) ***	673.00
F1223-3-GJ-T42-1W->5W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (3.5 GPF) **** WALL SIZES 1" to 5" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1223K-5W (The Installation Kit) ***	624.80
F1223-3-GJ-T42-6W & 7W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (3.5 GPF) **** WALL SIZES 6" & 7" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1223K-7W (The Installation Kit) ***	647.52
F1223-3-GJ-T42-8W->11W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for SECURITY FIXTURE w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" X 12" ELBOW FLUSH CONNECTION, SWEAT ADAPTER for CONCEALED BACK SPUD & GROUND JOINT CONNECTION (3.5 GPF) **** WALL SIZES 8" to 11" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1223K-11W (The Installation Kit) ***	673.00
F1229-1.6-GJ-T42-1W->6W	*** PLEASE ORDER F1234-1.6-GJ-T42-1W->6W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (1.6 GPF) *** ORDER F1234-1.6-GJ-T42-NS (The Valve) & 1234K-6W (The Installation Kit) ***	Please ORDER F1234 VERSION



Last Update: 18 Feb 2026 - Version 1

F1229-1.6-GJ-T42-7W & 8W	*** PLEASE ORDER F1234-1.6-GJ-T42-1W & 8W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (1.6 GPF) *** ORDER F1234-1.6-GJ-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***	Please ORDER F1234 VERSION
F1229-1.6-GJ-T42-9W->12W	*** PLEASE ORDER F1234-1.6-GJ-T42-9W->12W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (1.6 GPF) *** ORDER F1234-1.6-GJ-T42-NS (The Valve) & 1234K-12W (The Installation Kit) ***	Please ORDER F1234 VERSION
F1229-3-GJ-T42-1W->6W	*** PLEASE ORDER F1234-3-GJ-T42-1W->6W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (3.5 GPF) *** ORDER F1234-3-GJ-T42-NS (The Valve) & 1234K-6W (The Installation Kit) ***	Please ORDER F1234 VERSION
F1229-3-GJ-T42-7W & 8W	*** PLEASE ORDER F1234-3-GJ-T42-7W & 8W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (3.5 GPF) *** ORDER F1234-3-GJ-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***	Please ORDER F1234 VERSION
F1229-3-GJ-T42-9W->12W	*** PLEASE ORDER F1234-3-GJ-T42-9W->12W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (3.5 GPF) *** ORDER F1234-3-GJ-T42-NS (The Valve) & 1234K-12W (The Installation Kit) ***	Please ORDER F1234 VERSION
F1229-GJ-T42-1W->6W	*** PLEASE ORDER F1234-GJ-T42-1W->6W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (4.5 GPF) *** ORDER F1234-GJ-T42-NS (The Valve) & 1234K-6W (The Installation Kit) ***	Please ORDER F1234 VERSION
F1229-GJ-T42-7W & 8W	*** PLEASE ORDER F1234-GJ-T42-7W & 8W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (4.5 GPF) *** ORDER F1234-GJ-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***	Please ORDER F1234 VERSION

Last Update: 18 Feb 2026 - Version 1

F1229-GJ-T42-9W->12W	*** PLEASE ORDER F1234-GJ-T42-9W->12W - REPLACEMENT For ALL 1229 VERSIONS *** CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for FIXTURE WALL w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR (4.5 GPF) *** ORDER F1234-GJ-T42-NS (The Valve) & 1234K-12W (The Installation Kit) ***	Please ORDER F1234 VERSION
Hydraulic	Flushboy Hyro-Flush (Water Closets/Urinals)	
F1233-1.6-GJ-T42-1W->6W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZES 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1233K-6W (The Installation Kit) ***	501.29
F1233-1.6-GJ-T42-7W & 8W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZES 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1233K-8W (The Installation Kit) ***	501.29
F1233-1.6-GJ-T42-9W->12W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (1.6 GPF) **** WALL SIZES 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1233K-12W (The Installation Kit) ***	554.66
F1233-3-GJ-T42-1W->6W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF) **** WALL SIZES 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1233K-6W (The Installation Kit) ***	501.29
F1233-3-GJ-T42-7W & 8W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF) **** WALL SIZES 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1233K-8W (The Installation Kit) ***	501.29
F1233-3-GJ-T42-9W->12W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (3.5 GPF) **** WALL SIZES 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1233K-12W (The Installation Kit) ***	554.66



Last Update: 18 Feb 2026 - Version 1

F1233-GJ-T42-1W->6W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF) **** WALL SIZES 1" to 6" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1233K-6W (The Installation Kit) ***	501.29
F1233-GJ-T42-7W & 8W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF) **** WALL SIZES 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1233K-8W (The Installation Kit) ***	501.29
F1233-GJ-T42-9W->12W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for HIGH EFFICIENCY TOILETS w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1" FEMALE I.P. UNION OUTLET, GROUND JOINT TAILPIECE & SWEAT ADAPTER. ALL EXPOSED PARTS IN POLISHED CHROME. (4.5 GPF) **** WALL SIZES 9" to 12" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1233K-12W (The Installation Kit) ***	554.66
F1234-1.6-GJ-T42-1W->6W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1234K-6W	536.95
F1234-1.6-GJ-T42-7W & 8W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 7" & 8" **** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1234K-8W (The Installation Kit) ***	536.95
F1234-1.6-GJ-T42-9W->12W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (1.6 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-1.6-GJ-T42-NS (The Valve) & 1234K-12W	551.66
F1234-3-GJ-T42-1W->6W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-6W	536.95



Last Update: 18 Feb 2026 - Version 1

F1234-3-GJ-T42-7W & 8W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZES 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-8W	536.95
F1234-3-GJ-T42-9W->12W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-12W	551.66
F1234-3-GJ-C-T42	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ 3" OSCILLATING DISC HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (3.5 GPF) *** WALL SIZE REQUIRED *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-3-GJ-T42-NS (The Valve) & 1234K-?W (The Installation Kit) ***	577.41
F1234-GJ-T42-1W->6W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZES 1" to 6" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1234K-6W	536.95
F1234-GJ-T42-7W & 8W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZES 7" & 8" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1234K-8W	536.95
F1234-GJ-T42-9W->12W	CONCEALED HYDRO-FLUSH VALVE in ROUGH BRASS for WATER CLOSET w/ PUSH BUTTON HYDRO-FLUSH ACTUATOR, 1.5" CONCEALED BACK SPUD, GROUND JOINT TAILPIECE & SWEAT ADAPTER (4.5 GPF) *** WALL SIZES 9" to 12" *** **SHIPPED as 2 SEPARATE ITEMS: *** F1234-GJ-T42-NS (The Valve) & 1234K-12W	551.66

Small Diaphragm Valves

Small Diaphragm Style	Presto - Water Closets/Urinals	
P402-G-T42	EXPOSED PRESTO VALVE for WATER CLOSETS w/ GROUND JOINT, SWEAT ADAPTER KIT, BUMPER on the STOP & 1.5" x 9" FLUSH CONNECTION w/ TOP SPUD (4.5 GPF)	273.99



Last Update: 18 Feb 2026 - Version 1

P451-1-T42	EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.0 GPF)	273.99
P451-T42	EXPOSED PRESTO VALVE for LOW CONSUMPTION URINALS w/ GROUND JOINT, 0.75" x 9" FLUSH CONNECTION for TOP SPUD & SWEAT ADAPTER KIT (1.5 GPF) (CHG)	273.99
P577-1.6-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF)	304.70
P577-3-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF)	304.70
Small Diaphragm Style	Rex - Water Closet & Urinals + Presto 577s	
R401-1.28-G-NF	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.28 GPF)	229.50
R401-1.6-G-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (1.6 GPF)	229.50
R401-3-G-NF	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION for 1.25" BACK SPUD & SEAT BUMPER on the STOP Less SPUD NUT & FLANGE (3.5 GPF)	229.50
R402-1.28-G	EXPOSED REX VALVE for HIGH EFFICIENCY TOILETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" BACK SPUD & SEAT BUMPER on the STOP (1.28 GPF)	236.10
R402-1.6-G	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (1.6 GPF)	236.10
R402-3-G	EXPOSED REX VALVE for WATER CLOSETS w/ GROUND JOINT, 1.5" x 9" FLUSH CONNECTION for 1.5" TOP SPUD & SEAT BUMPER on the STOP (3.5 GPF)	236.10
R411-1.6-J-NF	EXPOSED REX VALVE for LOW CONSUMPTION WATER CLOSETS w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & #162A-J STRAIGHT STOP Less SPUD NUT & FLANGE (1.6 GPF)	258.00
R411-3-J-NF	EXPOSED REX VALVE for WATER CLOSET w/ GROUND JOINT, 1.25" x 9" FLUSH CONNECTION & 1" STRAIGHT STOP Less SPUD NUT & FLANGE (3.5 GPF)	258.00
R451-0.5	EXPOSED REX VALVE for HIGH EFFICIENCY URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (0.5 GPF)	235.70



Last Update: 18 Feb 2026 - Version 1

R451-1	EXPOSED REX VALVE for URINAL w/ GROUND JOINT & 0.75" x 9" FLUSH CONNECTION (1.0 GPF)	235.70
R526-1.28-NF	EXPOSED REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.28 GPF)	216.90
R526-1.6-NF	EXPOSED REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF)	216.90
R526-3-NF	REX VALVE (w/ 1" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF)	216.90
R527-1.28-NF	EXPOSED REX VALVE for WATER CLOSET w/ 1.25" I.P. INLET & HANDLE on the LEFT Less SPUD NUT & FLANGE (1.28 GPF)	219.60
R527-1.6-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (1.6 GPF)	219.60
R527-3-NF	REX VALVE (w/ 1.25" INLET on the LEFT) for WATER CLOSET (w/ NO SPUD NUT or SPUD FLANGE) (3.5 GPF...)	219.60
P577-1.6-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (1.6 GPF)	304.70
P577-3-J-NF	PRESTO VALVE for WATER CLOSETS w/ BUILT-IN INTERNAL STOP, GROUND JOINT, 1.25" IPS BACK INLET & 1.25" STRAIGHT FLUSH CONNECTION Less SPUD NUT & FLANGE (3.5 GPF)	304.70